



2022 LINEUP

GENERAL XP

XP 1000 (284 SEAT)



GENERAL XP 1000

WALKER EVANS VELOCITY SHOCKS
SPORT ROOF
POLARIS HO 4,500 LB. WINCH WITH AUTO-STOP
STAGE 1 AUDIO SYSTEM BY ROCKFORD FOSGATE
SPORT LOW PROFILE FRONT BUMPER
CONVEX REAR VIEW MIRROR
30" PRO ARMOR CRAWLER XG
XL FENDER FLARES

RIDE COMMAND WITH ROCKFORD FOSGATE STAGE 3 AUDIO MODEL AVAILABLE.

XP 1000 TRAILHEAD EDITION (284 SEAT)



GENERAL XP 1000 TRAILHEAD EDITION

XP PLUS: SPORT ROOF RIDE COMMAND STAGE 3 AUDIO SYSTEM BY ROCKFORD FOSGATE ADVENTURE REAR RACK 28 cm PRO ARMOR LIGHT BAR POLARIS HO 2,041 KG WINCH WITH AUTO-STOP 30" PRO ARMOR CRAWLER XG CONVEX REAR VIEW MIRROR

3D EMBOSSED TOPOGRAPHY GRAPHICS AND CUSTOM COLOR PACKAGE

GENERAL

DELUXE (284 SEAT)



GENERAL 1000 DELUXE

PREMIUM PLUS:

FOX PODIUM X 2.0 QS3 SHOCKS SPORT ROOF STAGE 1 AUDIO SYSTEM BY ROCKFORD FOSGATE CONVEX REAR VIEW MIRROR

RIDE COMMAND WITH ROCKFORD FOSGA

PREMIUM (284 SEAT)



GENERAL 1000 PREMIUM

SPORT PLUS

AUTOMOTIVE PAINT
MATTE BLACK CAST ALUMINUM WHEELS
68.68 cm MAXXIS CORONADO TIRES
SPORT LOW PROFILE FRONT BUMPER
POLARIS HO 2,041 KG WINCH WITH AUTO-STOP
LED HEAD AND TAIL LIGHTS
4-SEAT ONLY: FOX PODIUM X 2.0 QS3 SHOCKS

SPORT (2 SEAT)



GENERAL 1000 SPORT

100 HP PROSTAR ENGINE 272 kg DUMPING BOX STANDARD HALF DOORS ELECTRONIC POWER STEERING (EPS) POLARIS LOCK & RIDE COMPATIBLE VERSATRAC TURF MODE

CONTENTS

ACCESSORIES 06
WINDSHIELDS & REAR PANELS08
DOORS10
ROOFS12
VEHICLE & RIDER PROTECTION13
STORAGE14
CAB COMFORT
HUNT18
POLARIS NORTHSTAR COOLERS20
CONNECTED TECHNOLOGY22
AUDIO24
LIGHTING26
WHEELS 8 TIRES28
WINCHES36
PLOWS & TRACKS37
PARTS & GARAGE 49
MAINTENANCE49
OIL & LUBRICANTS40
MAINTENANCE FLUIDS42
BATTERIES & GARAGE ACCESSORIES44
HD PARTS46
SERVICE PARTS48
TIRE SEALANT & TRAILERING50
POLARIS POWER52
APPAREL 58
AFFAREL JO
RIDING GEAR58

MERCHANDISE70





DESIGNED



TESTED



TRUSTED



INTRODUCING OUR NEWEST PARTNER



Introducing an industry exclusive - Rhino-Rack® storage solutions designed specifically for Polaris GENERAL. From opposite sides of the globe, the most capable machines in the off-road world meet a trusted outdoor adventure brand to deliver industry-exclusive bed racks and accessories to help Polaris GENERAL users have more fun and get more done. Designed for perfect integration and tested to off-road standards, a Rhino-Rack-equipped GENERAL will help you get more storage capacity out of your machine - so you can stay prepared for whatever the day may bring.



WE HOLD OUR PARTNERS TO THE SAME **STANDARDS**



WHEELS, TIRES & LIGHTING DESIGNED WITH POLARIS TO MAXIMIZE PERFORMANCE P. 27 & 28



A GLOBAL LEADER IN AUDIO INNOVATION, DESIGN & ENGINEERING P. 24



PRODUCTS SO GOOD THEY REPLACE OR REPAIR THEM FOR LIFE P. 26



MAKING PRODUCTS FOR AVID SPORTSMEN SINCE 1943 P. 18



BRING IT ALL. BRING IT ON. P. 14

ENGINEERED TO TAKE ON

THE ELEMENTS

TESTED & PROVEN





BUILD YOUR CAB SYSTEM STARTING ON P. 08



COMFORT YOU HAVE TO EXPERIENCE TO BELIEVE

Our cab components create an experience enhancing interior, offering supreme comfort to your vehicle.



Contours built into the cage deliver a premium sealing surface.



PERFECT FIT, PERFECT SEAL

A 360° gasket seal provides our tightest-sealing cab.



LOCK & RIDE

EASY ON & OFF

Adapt to your needs and environment with exclusive tool-less, easy-on, easy-off Lock & Ride components.





PLUG & PLAY **ELECTRICAL**

EFFORTLESSLY ADD LIGHTS, HEAT, WIPERS & AUDIO.

A revolution in electrical accessory integration, the Polaris PULSE Electrical System allows for a simple plug & play approach for adding power to Polaris Engineered Accessories.

Look for √PULSE ready accessories.









LOCK & RIDE Vented Windshield - Hard Coat Poly: P. 08

Windshield Wiper & Washer System: P. 08

Rear Sport Bumper: P. 13

Extreme Kick-Out Rock Sliders: P. 13

Rhino-Rack Rear Bed Rack: P. 14

Polaris Northstar 14 L Cooler: P. 20

Pro Armor 83 cm Combo LED Light Bar: P. 27

Light Bar Harness: P. 27

LOCK & RIDE Vented Windshield - Hard Coat Poly: P. 08

Sport Roof - Poly: P. 12

XL Fender Flares: P. 13 NOTSHOWN

LOCK & RIDE" Cargo Box: P. 14

RIGID SR-Series Combo Light Bar: P. 27

Pro Armor Wheel & Tire Set: P. 35 29" Mud XC & 14" 4204 - Matte Black

Winch: P. 36

NOTSHOWN LOCK & RIDE Full Windshield - Glass: P. 08

NOTSHOWN Windshield Wiper & Washer System: P. 08

LOCK & RIDE Rear Panel - Glass: P. 09

NOTSHOWN Polaris PULSE LED Light Bar Harness: P. 17

NOTSHOWN Pro Armor 83 cm Combo LED Light Bar: P. 27

In addition to stock accessories

LOCK & RIDE Full Windshield - Glass: P. 08

Windshield Wiper & Washer System: P. 08

LOCK & RIDE Rear Panel - Glass: P. 09

Premium Roof - Poly: P. 12

Polaris Northstar 28 L Cooler: P. 20

Superior optical clarity

Curved to fit, seals tight


• Wiper ready (windshield only)

Cold weather / heavy duty

(automotive level)

Scratch-resistant

09



GLASS VS POLY

flow into the cab.

- Hard Coat · Lightweight, flexible,
- easy to store/remove Impact-resistant
- · Tight seal keeps out rain and dust
- Hard Coat: 30x more scratch resistance than regular poly windshields



POLY

LOCK & RIDE

POLY

» 2881111

HALF WINDSHIELD -


POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

LOCK & RIDE REVOLUTIONARY INSTALLATION



AIRTIGHT **GASKET SEAL**

GLASS HARD COAT POLY



TIP-OUT WINDSHIELD -GLASS TOP SELLER

» 2881108

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

LOCK & RIDE FULL WINDSHIELD -GLASS TOP SELLER

» 2889064

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

WINDSHIELD WIPER & WASHER

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

VENTED WINDSHIELD HARD COAT POLY

» 2884223

LOCK & RIDE

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

FLIP-DOWN WINDSHIELD -HARD COAT POLY

» 2889156

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



Offers fully-sealed or flipped-down venting options. Upper half detaches, leaving lower half for protection with maximum ventilation.

GENERAL

ADD A REAR PANEL TO REDUCE THE DUST SWIRL

REAR

Turbulent air forms above the cargo bed and behind the cab when you add a windshield. This swirl can carry dirt, dust, leaves, and rain into the cab. Eliminate this phenomenon and control the swirl by installing a rear panel.



REAR PANEL - GLASS TOP SELLER

» 2881113

LOCK & RIDE

FULL WINDSHIELD -

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

HARD COAT POLY

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



LOCK & RIDE REAR PANEL - POLY TOP SELLER

» 2881112

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

PANELS

COMPLETE YOUR CAB. POLARIS GENERAL comes equipped with



HALF DOORS

PREMIUM POLY FULL DOORS

- Impact and scratch-resistant tempered glass
- Fully-sealed design keeps elements out for a premium in-cab environment
- · Hinged window adjustability
- · Soft-touch, easy-to-clean premium interior liner

2-SEAT

Six-way glass window adjustability

» 2883717

POLARIS GENERAL XP 1000/4 '20-22

4-SEAT

- » 2883082

Push-out windows

· Kit includes B-pillar cover seal

POLARIS GENERAL XP 4 1000 '20-22 POLARIS GENERAL 4 1000 '17-22

POLARIS ENGINEERED ADVANTAGES



INTERIOR HANDLE AND LINER



A PERFECT FIT FOR THE **PERFECT SEAL**

ZIP WINDOW

UPPER DOORS

TO STOCK HALF DOORS

• Durable, rugged canvas stitched over a robust steel frame

- Lightweight, UV-resistant construction
- Retention straps for increased strength
- Zipper windows for increased venting options
- Mounts easily by drilling into stock doors (drill hole plugs included)

2-SEAT

» 2882548


POLARIS GENERAL XP 1000 '20-22 POLARIS GENERAL 1000 '18-22

4-SEAT » 2883453

NOT SHOWN

POLARIS GENERAL XP 4 1000 '20-22 POLARIS GENERAL 4 1000 '18-22

SEE P. 14 FOR THE **NEW RHINO-RACK STORAGE SOLUTIONS**



ACCESSORIES

CONNECTED
TECHNOLOGY & AUDIO

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22 Requires Sport Low Profile Front Bumper

» 2881525

FRONT

A SPORT LOW

BUMPERS

PROFILE TOP SELLER

SPORT UPPER

» 2881094

REAR SPORT BUMPER NOTSHOWN

HIGH CLEARANCE

A-ARM GUARDS

POLARIS GENERAL XP 1000/4 '20-22

POLARIS GENERAL XP 1000/4 '20-22

» 2884345

» FRONT • 2884221

» REAR • 2884222

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22 POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

XL FENDER

POLARIS GENERAL 1000/4 '16-22

Standard on GENERAL XP models

HMW A-ARM

» FRONT • 2880274

» REAR • 2880171

GUARDS NOTSHOWN

POLARIS GENERAL 1000 '16-22

Not compatible with Low Profile Rock Sliders

FLARES

» 2884220

EXPANSION ANCHOR MOUNTS TOUGH EXPANSION ANCHOR MOUNTS DESIGNED





A PERFECT **FIT FOR THE** PERFECT SEAL

Protect yourself from the elements.

The right roof shields you from the

sun and driving rain.



PREMIUM FEATURES 8 QUIETER RIDE



POLARIS ENGINEERED **ADVANTAGES**

ALUMINUM 5 POLY

- High protection strength
- Lower profile
- Sleek style

- Water run-off
- Pre-existing mounting features
- Liner ready
- Lightweight

PREMIUM ROOF - POLY

POLARIS GENERAL XP 1000 '20-22 POLARIS GENERAL 1000 '16-22

» 2881105

POLARIS GENERAL XP 1000 '20-22 POLARIS GENERAL 1000 '16-22

2-SEAT

ROOF - ALUMINUM



INCLUDES PREMIUM

SPORT ROOF - POLY

» 2883780

POLARIS GENERAL XP 1000 '20-22 POLARIS GENERAL 1000 '16-22



4-SEAT

PREMIUM ROOF - POLY

» 2883801

POLARIS GENERAL XP 4 1000 '20-22 POLARIS GENERAL 4 1000 '17-22



INCLUDES PREMIUM

SPORT ROOF - POLY

POLARIS GENERAL XP 4 1000 '20-22 POLARIS GENERAL 4 1000 '17-22

POLY ROOF LINER

POLARIS GENERAL XP 4 1000 '20-22 POLARIS GENERAL 4 1000 '17-22 Compatible with Sport Roof - Poly (2883781), sold separately

ROCK

» 2881102

SLIDERS (NOTSHOWN)

POLARIS GENERAL 1000 '16-22

EXTREME KICK-OUT

POLARIS GENERAL XP 1000 '20-22

POLARIS GENERAL XP 4 1000 '20-22

POLARIS GENERAL 1000 '16-22

Not compatible with XL Fender Flares

LOW PROFILE

» 2-SEAT • 2881101

» 4-SEAT • 2881992

FOR POLARIS GENERAL ALLOW FOR QUICK INSTALL OF ROCK SLIDERS AND BUMPERS WITHOUT DAMAGING THE VEHICLE'S FRAME.



STORAGE

RHINO-RACK®

BRING IT ALL. BRING IT ON.

From opposite sides of the globe, the most capable machines in the off-road world meet a trusted outdoor adventure brand to deliver industry-exclusive purpose-built bed racks and accessories to help Polaris GENERAL users have more fun and get more done. Increase storage capacity so you can go where you want with everything you need, organized to succeed.

REAR BED RACK



LOCK & RIDE NEW REAR BED RACK

- The ultimate modular load carrying solution
- Strong, lightweight aluminum construction tested in the harshest conditions
- Quickly adapt your vehicle from workday to weekend with a wide array of Rhino-Rack attachments
- » 2889443

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22









ATTACHMENTS




GUN MOUNTING BRACKET

 Bracket used to mount Kolpin Stronghold Gun Boots to Rhino-Rack" systems when paired with Auto-Latch Mount (2884106), sold separately

» 2889327

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

See P. 18 for more hunt information



EYELET TIE-DOWNS

- Includes one set and hardware (straps not included) and attaches in multiple places on the platform to use as additional tie-down points
- Anti-corrosive galvanized steel for heavy-duty strength and long life
- " JOOGE

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



N=W

MULTI-PURPOSE TOOL HOLDER

- Carry and protect tools, paddles and more during your ride
- Ratchet-locking mechanism for quick release with rubber inserts to secure accessories into place
- " 3000E30

POLARIS GENERAL XP 1000/4 '20-22



TRACTION BOARD MOUNT

- Strong, durable and easy to attach mount
- Traction board not included
- » 2889530

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



CARGO CORNER BRACKET

- Bring a Northstar cooler or toolbox while saving space inside your vehicle
- Unique anti-rotation nut for maximum cargo security
- » 2889531

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



HIGH LIFTING JACK MOUNT

- Installs simply and quickly with durable brackets
- Rugged, non-corrosive powder-coated steel stands up to the harshest conditions
- " 2000E22

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

4

» 2881527

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22 Includes all mounting hardware for secure installation

STORAGE

LOCK & RIDE REAR BED

» 2885113

LOCK & RIDE

» 2885122

SPARE TIRE CARRIER

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

FITS WHEEL UP TO 30"

STORAGE RACK

POLARIS GENERAL XP 1000/4 '20-22

POLARIS GENERAL 1000/4 '16-22

See P. 18 for more info

LOCK & RIDE CARGO BOX D-RINGS TOP SELLER » 2881545 POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

KOLPIN STRONGHOLD

POLARIS GENERAL XP 1000/4 '20-22

POLARIS GENERAL 1000/4 '16-22

See P. 18 for more info

BEHIND SEAT

STORAGE BAG

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

» 2882164

MOUNT



IN-DASH

» 2882165

STORAGE BAG

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

EASILY RECONFIGURE **FOR ANY TASK OR ANY TRAIL**

LOCK & RIDE

» 2882144

TIP-DOWN HEADACHE RACK

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

BED EXTENDER

POLARIS GENERAL XP 1000/4 '20-22

POLARIS GENERAL 1000/4 '16-22

» 2881547

CARGO BED MAT

» 2881933

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

FIRE EXTINGUISHER HOLDER NOTSHOWN

» 2882158 POLARIS GENERAL XP 1000/4 '20-22

POLARIS GENERAL 1000/4 '16-22 Fits most 8.25 cm fire extinguishers (not included)

CAB COMFORT



8-VENT HEATER AND DEFROST SYSTEM TOP SELLER



» 2881316


POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22 Not Compatible with Rockford Fosgate Stage 4 Audio Kits Audio Bracket (2885112) required to install heater on vehicles



CONVEX REAR VIEW MIRROR

» 2881540

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



MULTI-FUNCTION CAB LIGHT

· LED dome light provides Battery-operated, white, red, green and recharges when vehicle is on blue lighting options

· Remove to use as flashlight in and

Blue light is ideal for

night riding

» 2884047

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '19-22



» 2881090

SEE P. 08 FOR POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22 WINDSHIELDS



FLOOR MATS

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



· Required to easily add electric components

» 2883785

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '19-22

POLARIS ENGINEERED **ADVANTAGES**



ELECTRICAL INSTALLS MADE EASY WITH PLUG & PLAY

- To install accessories, simply plug the $% \left(\mathbf{r}\right) =\left(\mathbf{r}\right)$ harness into the Polaris PULSE hub

Look for [■]\PULSE to identify Polaris PULSE ready accessories.

- No need to remove nuts and stack wire
- By plugging in your accessories, a secure

terminals like a three-post terminal setup

connection is guaranteed every time





STORAGE

REAR BED STORAGE RACK

- Take more gear with integrated MOLLE panels and Lock & Ride installation
- · 28 L or 57 L Polaris coolers will still fit in bed with rack installed
- Compatible with (1) Kolpin Stronghold Mount
- » 2885113

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

local laws and regulations regarding the requirements for the legal transport of firearms.

Never transport a loaded firearm. Verify firearm is unloaded prior to mounting. Please refer to

RHINO-RACK MOUNT KOLPIN RHINO GRIPS

IDEAL FOR BOWS & UNCASED GUNS

RHINO GRIP XLR

KOLPIN STRONGHOLD CASES & MOUNT

KOLPIN STRONGHOLD GUN BOOT XL

- Includes zippered internal liner
- Lockable

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



KOLPIN STRONGHOLD **GUN BOOT L**

» 2882426*

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



KOLPIN STRONGHOLD AUTO-LATCH MOUNT

» 2884106

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



KOLPIN STRONGHOLD AUTO-LATCH DOUBLE GUN BOOT MOUNT

» 2883970

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



GUN MOUNTING BRACKET

• Bracket used to mount Kolpin Stronghold Gun Boots to Rhino-Rack systems when paired with Auto-Latch Mount (2884106), sold separately

» 2889327

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

See P. 14 for more Rhino-Rack products



LOCK & RIDE RHINO GRIP PRO

» 2884107

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

POLARIS GENERAL XP 1000/4 '20-22

POLARIS GENERAL 1000/4 '16-22



LOCK & RIDE

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



KOLPIN STRONGHOLD MOUNT

Kolpin Stronghold mount for attaching gun boots or other Kolpin Stronghold items to a

General Rear Bed Storage Rack

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

» 2881574 • SINGLE POLARIS GENERAL XP 1000/4 '20-22, POLARIS GENERAL 1000/4 '16-22



RHINO GRIP XLR - DOUBLES

» 2889166 POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



» 2884109

POLARIS GENERAL XP 1000/4 '20-22. POLARIS GENERAL 1000/4 '16-22

*REQUIRES AUTO-LATCH MOUNT (2883970 OR 2884106)

P&LARIS NORTHSTAR® COOLER POLARIS APPROVED. This cooler is IGBC-approved, meaning it KEEP II withstands the power expended by a typical grizzly bear if it was trying to get inside. Seriously, there are experts who know what a grizzly is capable of doing, and they certify our coolers can take it.

28, 57 & 99 LITER FEATURES













POLARIS NORTHSTAR COOLERS CAN SURVIVE JUST ABOUT ANYTHING - FROM EXTREME HEAT TO A NASTY TUMBLE OFF A VEHICLE.



99 LITER

» GRAPHITE • 2883426

» DESERT • 2883392



57 LITER

» GRAPHITE • 2883425 » DESERT • 2881259



28 LITER

» GRAPHITE • 2883424 » DESERT • 2881315



14 LITER

» GRAPHITE • 2883968



19 LITER SOFT-SIDED COOLER

» GRAPHITE • 2889285

ESSENTIAL ACCESSORIES SO VOLIR COOLER WORKS AS HARD AS VOLLDO

EGGENTIAL AGGEGGONIE	LJ JU TUUK I	POOLEN MONNO HO	חמו טטו כא מאאח				
COOLER ACCESSOI	RIES	99 LITER	57 LITER	28 LITER		DON'T FORGET THESE ACCESS	ORIES
	WIRE BASKET	2883648	2882185	2882438	O POLISS	0	
	DIVIDERS Doubles as cutting board	2883468 COMES WITH ONE DIVIDER 1 way to partition	2882184 COMES WITH TWO DIVIDERS 2 ways to partition	2882186 COMES WITH ONE DIVIDER 1 way to partition	**************************************	LOCK & RIDE QUICKSTRAP » 2882187 ALL COOLERS AND POLARIS GENERAL CARGO BOXES	BOTTLE OPENER » 2882183 ALL COOLERS
	SEAT CUSHION	NOTAVAILABLE	2882179	2882507		GENERAL CARGO BOXES	
是一	WHEELS	2883967	2882180	NOT AVAILABLE			

CONNECTED TECHNOLOGY







PLAN. TRACK. SHARE. CONNECT. PLAN YOUR RIDE

Plan an epic ride with stops along the way, customize and adjust your path to maximize your route or follow turn-by-turn directions. You can even share your planned route with friends.

FOLLOW THE GROUP

With Group Ride, you can ride at your own speed and keep fellow riders in sight on your map screen, even if you get split up. Because rides are meant to be shared.

DISCOVER NEW TRAILS

With almost 1,000,000 miles of trails available offline, you'll have the confidence to explore further, whether you have cellular coverage or not.

RELIVE YOUR RIDE

With 3D flyovers you can track and go over your completed rides, and share your favorite routes with friends even after the ride is over.

7" DISPLAY POWERED BY RIDE COMMAND

- · Bright, 7" touchscreen visible in all conditions
- GPS Navigation & Pre-Loaded Maps Available offline on the in-dash display so you always know where you are.
- Route Planning
 Add points of interest and waypoints
- to make the most of your off-road adventure.
- "Follow the Leader" lets you set and follow the group leader on your display. Group Ride Messaging, lets you send messages to your group with or without a cellular signal.

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '19-22

- · Camera Integration Navigate with full view of your surroundings. Use the integrated rear camera to see others behind you while riding.
- Personalized Audio Experience Seamlessly pair your display via Bluetooth to wirelessly stream music and stay connected with call and text alerts.
- Configurable Gauges Customize your ride experience with elevation, travel direction, fuel level and more to create relevant screens for you.

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '20-22 WHEN REPLACING FACTORY IN-DASH AUDIO: EITHER AMP (2414533) AND RELOCATION KIT (2885112), BOTH REQUIRED SOLD SEPARATELY -OR- STAGE 3 RIDE COMMAND AUDIO KIT & REAR SPEAKERS (2885163).

7" DISPLAY MOUNT KIT

- · Mount RIDE COMMAND seamlessly into the dash for perfect fit and finish
- · Comes with required wiring harnesses and accessory components
- Includes front and rear camera, V2V and GPS antenna

» 2889338

SOLD SEPARATELY, ARE REQUIRED

AUDIO BRACKET

- · Used to mount audio amplifier for front and rear speakers when
- · Required to install a heater on a vehicle with RIDE COMMAND and audio

» 2885112

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '20-22

22







Tockford Tosqate










An industry first. A true factory installed integrated off-road audio system. Rockford Fosgate partnered with Polaris to purpose build the highest performing system specifically for the GENERAL platform. Tuned and rider-centric to create a class leading audio experience that is second to none.











- 6.86 cm full color display with AM/FM/ WB tuner. Pandora Control and Bluetooth Connectivity
- 50 Watt 16.51 cm front coaxial speakers with enclosures and grilles

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '20-22



STAGE 3 PMX AUDIO KIT+ **REAR SPEAKERS**



- · REAR COAXIAL SPEAKERS & AMP
- 2, 50 Watt 16.51 cm rear coaxial speakers with enclosures and grilles
- 400 Watt 4-channel full range amplifier
- IP67 Rating delivering water resistance and dust protection
- » 2885162

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



STAGE 3 RIDE COMMAND **AUDIO KIT+ REAR SPEAKERS**




- SPEAKERS, ANTENNA & AMP • 2, 50 Watt 16.51 cm front and rear coaxial
- speakers with enclosures and grilles
- · 400 Watt 4-channel full range amplifier · IP67 Rating delivering water resistance and dust protection

» 2885163

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22 REQUIRES 7" DISPLAY WITH PIDE COMMAND. (2884072) & 7" DISPLAY MOUNT KIT (2884283),

BOTH SOLD SEPARATELY





STAGE 4 **UPGRADE**



• POWERED SUBWOOFER

- · Compatible with Stage 1 and Stage 2 PMX-P2 Audio Kits
- 400 Watt 25.4 cm subwoofer
- Compatible with Stage 1 and Stage 3 Audio Kits

» 2889306

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

BUILD YOUR SOUND

HEAD UNIT:

STAGE 1 **AUDIO: AUDIO KIT** **STAGE 3 + 4 UPGRADES**

PMX-P2

MODEL FITMENT:

ΧP

STAGE 1 AUDIO KIT WITH PMX-P2 HEAD UNIT

DELUXE

INSTALLED

PREMIUM

SPORT

STAGE 1 **AUDIO KIT** PMX HEAD UNIT +

FRONT COAXIAL SPEAKERS + ANTENNA 2884282

STAGE 3 + **REAR SPEAKERS UPGRADE**

REAR SPEAKERS, AMP + AUDIO BRACKET 2885162

OPTIONAL SUBWOOFER

STAGE 4 **UPGRADE**

SUBWOOFER 2889306

NOT COMPATIBLE WITH 8-VENT HEATER & DEFROST SYSTEM (2881316)

RIDE COMMAND

STAGE 3 **RIDE COMMAND AUDIO KIT**

RIDE COMMAND + STAGE 3 AUDIO SYSTEM BY ROCKFORD FOSGATE MODEL

INSTALLED

TO ADD 8-VENT HEATER & DEFROST SYSTEM (2881316), SUBWOOFER MUST E REMOVED AND AMP RELOCATION BRACKET (2885112) MUST BE INSTALLE

7" DISPLAY WITH **RIDE COMMAND** 2884072

7" DISPLAY MOUNT KIT

STAGE 3 UPGRADE REAR SPEAKERS, AMP + AUDIO BRACKET

2885163 STAGE 4 UPGRADE

SUBWOOFER

NOT COMPATIBLE WITH 8-VENT HEATER & DEFROST SYSTEM (2881316)

POLARIS ENGINEERED

EXCLUSIVE

OPTICS

MOUNTS PERFECTLY Designed for your Polaris Engineered bumper, roof or other mounting point

Validated to work as hard as your machine does

MAX PERFORMANCE

DOESN'T OVERTAX Trust it to work when you need it to

PRO ARMOR.

RUGGED CONSTRUCTION

Pro Armor lights are designed to be big and beefy with an aggressive style all their own, and housed in IP67 marine-grade rated UV polyester powdercoating.

MASSIVELY BRIGHT

Pro Armor builds bright lights designed for any riding experience. All that power is directed through heat dissipating aluminum for streamlined heat management.

LIGHT BAR TYPES

ADVANCED

TECH



SR-SERIES PRO

Sleek, powerful, low-profile (under 5 cm tall). Lights extreme distances with low energy usage. Available in 25.4 cm & 81.3 cm

RIGID lights are driven by Aluminum PCB Smart Boards,

6063-T5 aircraft aluminum extruded housings and Tiger

Drylac UV protection polyester powdercoating.



D-SERIES PRO

Compact to fit almost anywhere with high output and low energy usage.

RIGID invests heavily in optical science and has

patented multiple optics and optics systems,

maximizing light output and efficiency.

Available in Driving, Flood & Spot



DUAL-ROW LED LIGHT BARS

The most spread and farthest illumination downrange. Easy to mount.

Available in Cube, 25.4 cm, 50.8 cm & 76.2 cm



SINGLE-ROW LED LIGHT BARS

Powerful, compact, low-profile light bars with sleek look.


Available in 27.9 cm, 83.8 cm & 101.6 cm



CUBE LED LIGHTS

Small size allows mounting in strategic locations for added lighting. Available in Flood & Spot


LIGHT BAR OPTIONS



BUILD YOUR VISION

Consider the optics, angle & how you will use your vehicle to choose the right light or set of lights.





ADD A HARNESS TO MOUNT YOUR LIGHTS



⚠ No battery connection cables required on any model/model year POLARIS GENERAL 1000.

All RIGID and Pro Armor lights are Polaris PULSE ready,

ACCENT LIGHTING

ACCENT LIGHTS

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22 COLOR PΝ RED (SET OF 4) 2880500

BLUE (SET OF 4) 2880506







26"

ATTACK

DUAL-THREAT

HARVESTER

XD-K



27"

MUD XC

HARVESTER



29"

DUAL-THREAT

MUD XC

HD-K



30"

CRAWLER XG

ATTACK 2.0

HARVESTER

CRAWLER XR

CRAWLER AT

CUPER OR PER OR WANCE

WAYSTO SHOP

TIRES BY SIZE

58"

HARVESTER

CRAWLER XR

ATTACK 2.0

CRAWLER XG

PRO ARMOR

PERFORMANCE

- Every tire is designed and constructed with longevity in mind
- · 3,000+ mile rated (4,828 kilometers)

PREMIUM **PROTECTION**

- · Pro Armor makes tires with extra protection exactly where it's needed most – the sidewall
- Triple-belted sidewalls keep your tires more resistant so you can keep going

TOUGH TIRES

KNOW YOUR

- · Higher ply ratings mean added protection
- · Pro Armor builds 8 or 10-ply rated tires for higher puncture-resistance

KNOW YOUR TIRES

DIMENSIONS								
		WHEEL DIAMETER						

Part Number

32"×9" R15

FRONT/ **REAR**

USAGE

Where can you

use the tire

30 mm

18 kg

TIRE WEIGHT

A lighter tire makes

for improved vehicle

performance

TIRE

WEIGHT

10

PLY

RATING

3

SIDEWALL

BELTS

499 kg

LOAD

RATING

TREAD DEPTH

TREAD

DEPTH

Deeper treads have more grip in all conditions

PLY RATING Indicates tire puncture-resistance

SIDEWALL BELTS

Increase your resistance to

LOAD RATING How much weight can the tire handle

sidewall punctures

TIRES BY TERRAIN



WHEELS BY SIZE

HD-K

CRAWLER AT

40-SERIES (14 TIRE OPTIONS)	15" 50-SERIES (6 TIRE OPTIONS)
4201	5201
4202	5202
4203 BEADLOCK	5203 BEADLOCK
4204	5301 BEADLOCK
4205	
4301 BEADLOCK	
HD DUAL BEADLOCK	

KNOW YOUR WHEELS

STEP 1: SELECT YOUR SERIES

4 = 40-SERIES 5 = 50-SERIES

STEP 2: CHOOSE YOUR LOAD RATING

1 = <362.9 KG 2 = 363 - 589.7 KG 3 = 590 - 726+ KG

STEP 3: PICK YOUR STYLE OFFSET / BEADLOCK / COLOR

INCREASE OFFSET FROM STOCK = NARROWER STANCE **DECREASE OFFSET FROM STOCK = WIDER STANCE**





PRO ARMOR CRAWLER XR

- \bullet Premium grip for all terrains, from the trail to the rocks
- · Square block profile for even surface contact
- · A tougher durometer than the XG to take on the toughest

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	28" × 10" R14 5415536	FRONT/ REAR	16 mm	15 kg	8	3	517 kg




XR

FRONT/REAR

SINGLE DUROMETER

- Smaller lug height, added rigidity and lateral stability when cornering
- Unique lug design excels in hard pack, fast terrain





PRO ARMOR CRAWLER XG

- · Built to crawl over all obstacles, both large and small
- · A soft, sticky compound makes this tire ideal for both rock crawling and desert running
- · 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
4	30" × 10" R14 5415616			17 kg			581 kg
5"	28" × 10" R15 5416346	FRONT/ REAR	20 mm	15 kg	8	3	498 kg
5"	30" × 10" R15 5416397			18 kg			581 kg



WHEEL SIZE

DUAL-DUROMETER

to grip slick rock

• Taller lug height and dual-

Perfect balance between high-speed performance, durability and flex in order



durometer construction



PRO ARMOR CRAWLER AT

- · Directional tread for optimum performance
- Greater lug separation for easy mud clean out
- 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
15"	30" × 10" R15 5417534	FRONT/ REAR	18 mm	16 kg	8	3	581 kg

FRONT/REAR



AT

DIRECTIONAL LUG PATTERN

- The same taller lug height as Crawler XG, providing more grip and better traction
- Wider lug spacing for excellent mud clean-out









PRO ARMOR ATTACK 2.0

- Engineered for excellent hard pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- · Tight thread pattern for a quieter ride

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
15"	28" × 10" R15 5416344	FRONT/		15 kg		_	503 kg
15"	30" × 10" R15 5416345	REAR		17 kg	10	3	560 kg

TIGHTER TREAD PATTERN =

DUAL-DUROMETER LUG = Increased grip & traction in rough terrain, smoother ride in all terrain

LARGER 28" & 30" SIZE OFFERING = More ground clearance & trail traction

WHEEL SIZE

FRONT/REAR



FRONT/REAR



PRO ARMOR ATTACK

- The best all-purpose tire for all-season traction in any terrain
- · Unique, full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	26" × 9" R14 5415613	FRONT		13 kg	_	_	413 kg
14"	26" * 11" R14 5415614	REAR	23 mm	15 kg	8	3	599 kg

PRO ARMOR DUAL-THREAT

- Dual-compound technology and radial construction offer performance in all terrains
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING		
14"	26" × 9" R14 5416340	FRONT	14 kg			12 kg			413 kg
14"	26" × 11" R14 5416341	REAR				499 kg			
14"	29" × 9" R14 5416342	FRONT		10 mm	14 kg	10	3	499 kg	
14"	29" × 11" R14 5416343	REAR	16 kg			599 kg			

FRONT/REAR



Softer Durometer Rubber = More Grip



FRONT/REAR

Designed as the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud

• Dual-compound technology with harder durometer lugs promote extended wear, increasing tire life

PRO ARMOR MUD XC

• 10-ply construction means added protection in the toughest terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	27" × 9" R14 5416947	FRONT		14 kg		3	531 kg
14"	27" * 11" R14 5416948	REAR	30 mm	15 kg	10		599 kg
14"	29" × 10" R14 5416946	FRONT/ REAR		18 kg			630 kg



PICKING THE RIGHT UTILITY TIRE

UTILITY FEATURE	HARVESTER	XD-K	но-к
8,047 Kilometer Rated Long life and performance	X		
10-Ply Rated Higher ply ratings means added protection	X	X	X
Heavy Duty Tread Aggressive tread pattern for all day work on farms or ranches	X	X	X
Turf-Friendly Easy on grass and farm yard	X		
Aramid Fiber Belt 5x times stronger than steel and lighter		X	X
Size Options For exactly how you want to use your machine	26", 27", 28", 30"	26"	29"







PRO ARMOR HARVESTER

- All-around work horse with tread life of 8047 km
- Tread pattern designed to withstand anything from the farmyard to the pastures and the trail
- · With 10-ply, it can carry the load day in and day out

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
12"	26" × 8" R12 5416396	FRONT		11 kg			388 kg
12"	26" × 10" R12 5415966	REAR		15 kg			615 kg
14"	27" × 10" R14 5415965	FRONT/ REAR	16 mm	15 kg	10	3	599 kg
14"	28" × 10" R14 5416347	FRONT/ REAR		15 kg			630 kg
15"	30" × 10" R15 5417529	FRONT/ REAR	ı	17 kg			599 kg











PRO ARMOR XD-K

- \bullet 26" Aramid fiber-belted tire to tackle any terrain
- Unique full-face tread design
- Harder durometer lugs promotes extended wear, increasing tire life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
2"	26" × 9" R12 5415756	FRONT	31.7 mm	13 kg	10	3/1 Aramid	388 kg
12"	26" × 11" R12 5415757	REAR		15 kg			499 kg

FRONT/REAR









PRO ARMOR HD-K

- Designed to provide a smooth ride and aggressive traction in all riding terrains
- Triple-belted sidewall provides extreme protection and extends the tire life
- Quad belt tread core offers superior protection and longer tread life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	29" × 10" R14 5417507	FRONT/ REAR	31.75 mm	18 kg	10	3/1 Aramid	598 kg

FRONT/REAR





















40-SERIES

4201 0

14"

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: -9

ACCENT: 14" × 7" 1522956-266 14" × 8" 1522957-266 MATTE BLACK: FRONT 14" × 7" 1522956-458 14" × 8" 1522957-458

a 4202 0

FRONT WEIGHT: 5.8 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: -9

14" × 8" 1522545-266 MATTE BLACK: FRONT 14" × 7" 1522544-458 14" × 8" 1522545-458 REAR

4203 BEADLOCK 0 0

REAR

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.6 kg | LOAD RATING: 590 kg | OFFSET: -9 14" × 7" 1522238-458 MATTE BLACK: FRONT

9 4204 0

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: -9

ACCENT: FRONT 14" × 7" 1522546-266 RFAR 14" × 8" 1522547-266 MATTE BLACK: FRONT 14" × 7" 1522546-458 14" × 8" 1522547-458

9 4205 0

FRONT WEIGHT: 4.8 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 5.7 kg | LOAD RATING: 590 kg | OFFSET: -9 MATTE BLACK: FRONT 14" × 7" 1521507-521

14" × 8" 1521508-521 14" × 7" 1521507-410 RFAR 14" × 8" 1521508-410

9 4301 BEADLOCK

WEIGHT: 7.3 kg | LOAD RATING: 729 kg | OFFSET: +38 ACCENT: FRONT/REAR 14" × 7" 1523284 MATTE BLACK: FRONT/REAR 14" × 7" 1523283

6 HD DUAL BEADLOCK

WEIGHT: 18.1 kg | **LOAD RATING:** 725.7 kg | **OFFSET:** +38 MATTE BLACK: FRONT/REAR 14" × 7" 1524022-458

50-SERIES

© 5201

WEIGHT: 7.8 kg | LOAD RATING: 590 kg | OFFSET: +4 ACCENT: FRONT/REAR 15" × 7" 1523184-266 MATTE BLACK: FRONT/REAR 15" × 7" 1523184-458

<u>0</u> 5202

WEIGHT: 8.1 kg | LOAD RATING: 590 kg | OFFSET: +4 FRONT/REAR 15" × 7" 1523102-266 ACCENT-**MATTE BLACK:** FRONT/REAR 15" × 7" 1523102-458

9 5203 BEADLOCK 0 0

EDONT/DEAD

WEIGHT: 7.3 kg | LOAD RATING: 590 kg | OFFSET: +38 MATTE BLACK: FRONT/REAR 15" × 7" 1522435-458

5301 BEADLOCK

WEIGHT: 7.7 kg | LOAD RATING: 726 kg | OFFSET: +38 ACCENT: FRONT/REAR 15" × 7" 1523282

MATTE BLACK: FRONT/REAR 15" × 7" 1523266

C LUG NUTS REQUIRED O BEADLOCK SOLD SEPARATELY

BEADLOCK RINGS

14" × 8" 1522239-458

	14" FORGED BEADLOCK RINGS	PART #	0.0
<u>A</u>	Machined Fits 4203 Beadlock & HD Dual Beadlock	1522244-266	A A
В	Matte Black - Replacement Fits 5301 Beadlock & HD Dual Beadlock	1523146-458	
	15" FORGED BEADLOCK RINGS	PART #	
₿	Matte Black - Replacement Fits 5203 Readlock	1523147-458	

KNOW YOUR WHEELS

STEP 1: SELECT YOUR SERIES

4 = 40-SERIES 5 = 50-SERIES

STEP 2: CHOOSE YOUR LOAD RATING 1 = <362.9 KG 2 = 363 - 589.7 KG 3 = 590 - 726+ KG

STEP 3: PICK YOUR STYLE

OFFSET / BEADLOCK / COLOR

INCREASE OFFSET FROM STOCK = NARROWER STANCE DECREASE OFFSET FROM STOCK = WIDER STANCE


KNOW YOUR TERRAIN







WHEEL & TIRE SETS



OLAR	is 🌑	
ISTER	ALL WHEELS	1521509-410
ATTE ACK	BEADLOCK & 5204	1521509-521
ISTER		1522243-410
ATTE ACK	5203 BEADLOCK	1522243-458
ATTE ACK	ALL WHEELS	5457498-458
RO AF	RMOR 👸	(9)
ISTER	ALL WHEELS	5453209-410
ATTE ACK	BEADLOCK & 5204	5453209-458
ATTE ACK	5204	1523063-458
ISTER	F202 PF4PL 0.0V	1523015-410
	5203 BEADLOCK	1523015-458
	STER ATTE ACK STER ATTE ACK RO AF ATTE ACK STER ATTE ACK RO AF ATTE ACK	ALL WHEELS EXCEPT 5203 BEADLOCK & 5204 STER 5203 BEADLOCK ATTE ACK ALL WHEELS EXCEPT 5203 BEADLOCK & 5204 ALL WHEELS ALL WHEELS ALL WHEELS ALL WHEELS EXCEPT 5203 BEADLOCK & 5204 ATTE ACK STER ALL WHEELS EXCEPT 5203 BEADLOCK & 5204 ATTE ACK STER

12mm × 1.5 SPLINED

MAYS TO

PURCHASE

INDIVIDUAL WHEELS & TIRES

COMPLETE SETS AS LISTED

2879332

2879331

LUG NUTS

O LUG NUTS

REOUTRED

16 SPLINED LUG NUTS

4 SPLINED LUG NUTS


12mm x 1.5 SPLINED

WITHOUT WRENCH



O LUG NUTS REQUIRED







COLBY COMBO VALVE KIT (16 PACK)

Includes eight ultimate valves and eight

» 2883294

35

37

WINCHES

TESTED **1,200+** PULLS AT MAX LOAD

OPERATES FULLY SUBMERGED

BUILT TO WITHSTAND -29°C TEMPERATURES MILITARY TESTED & APPROVED



BEST FOR PLOWING, HEAVY-DUTY OUTDOOR

CHORES & TRAIL RIDING

HEAVY DUTY SERIES **BEST FOR THE CASUAL** OFF-ROAD RIDER

ALL POLARIS ENGINEERED WINCHES COME WITH:

FEATURES & BENEFITS

✓ INTEGRATED WIRING, MOUNT, PREASSEMBLED

HOOK WITH STRAP

CUT STEEL GEARS & SEALED DRIVETRAIN

SEALED PERMANENT MAGNET MOTOR



on other Polaris winches. Get back to riding or complete vour task quicker.

- 1. Set winch dial to N (Neutral) to manually pull the rope out and secure the hook to your anchor point
- 2. Set winch dial to L (Low) for maximum pulling power while winching your load
- 3. Set winch dial to H (High) for retrieving the rope 5x faster with Rapid Rope Recovery



NOT AVAILABLE

ADD AUTO STOP UPGRADE 2881288

SYNTHETIC ROPE REQUIRED

ADD SYNTHETIC ROPE

2879187

AUTO STOP TECHNOLOGY



Auto Stop technology protects and extends the life of your winch by automatically stopping the winch at the end of pull to prevent over-spooling. While plowing, it prevents the plow frame from bending by stopping the winch once the plow has been lifted.



With its lightweight, yet extremely strong, design and superior flexibility, this 15 m long synthetic rope is easy to handle and can stand up to any tough job.



This convenient remote operates your Polaris winch wirelessly from within 15 m of the vehicle. Operate your winch safely outside your vehicle while on the job site or trails



ADD WIRELESS REMOTE 2881287

2,041 kg



MODEL

POLARIS GENERAL XP 1000/4 '20-22

POLARIS GENERAL 1000/4 '19-22

2883861



PLOW SYSTEMS (WINCH REQUIRED, SOLD SEPARATELY)

Choose a Glacier Plow System, designed to help you get the most out of your GENERAL during snowy months. Select a system based on your plowing needs with premium add-ons including a hydraulic lift system or additional plow accessories.

EXAMPLE 1GLACIER PRO HD PLOW SYSTEM WITH HYDRAULICS

System includes:

- Mount (2881763) Frame (2880260)
- · 183 cm Steel Plow (2880270)
- Hydraulic Angle (2885102)
- · Hydraulic Controller (2883391)
- Plow Markers (2872726) • Plow Deflector (2858541)

CREATE YOUR STEP 1

PLO'

POLARIS GENERAL

1000/4 '16-22

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

System includes:

ENEWGLACIER PRO HD PLOW SYSTEM

• Mount (2881763) Frame (2880260)

Requires lift method:

» 3880015

• 168 cm Poly Plow (2880269)

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

» 3880016

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

• 183 cm Steel Plow (2889307)

NEW GLACIER HD PLOW SYSTEM

PLOWS & TRACKS

System includes:

Mount (2883256)

• Frame (2882927)

EGLACIER 70 HD PLOW SYSTEM

GLACIER PRO HD GIVES YOU

» 183 cm or 168 cm Blades

» Choice of poly or steel
» Manual angle system standard



STEP 2



STEP 4

SELECT A BLADE

	43 cm
:E	183 cm STEEL BLADE Best for big jors year after year
· E	DESTITOR DIG JODS TEAR AFTER TEA

PLOW SYSTEM	SELECT A MOUNT	SELECT A FRAME	SELECT A LIFT METHOD
MODELS	MOUNT	FRAME	WINCH
POLARIS GENERAL XP 1000/4 '20-22	2881763	TOP SELLER 2880260	Polaris PRO HD 2,041 kg Win 2883861
POLARIS GENERAL			POLARIS GENERAL XP 1000/4 '20- POLARIS GENERAL 1000/4 '19-22
1000/4 '16-22			Hydraulic Plow Angle 2885102
			POLARIS GENERAL 1000/4 '16-18



STEP 3

RAL XP 1000/4 '20-22 RAL 1000/4 '19-22

ow Anale

Hydraulic Plow Controller

POLARIS GENERAL XP 1000/4 '20-22

SELECT ACCESSORIES BLADES ACCESSORIES

STEP 5

TOP SELLER 183 cm Blade Snow Deflector 2858541 183 cm HD Wear Bar 2879875 183 cm Steel

183 cm Wear Bar 2204976 2880270 168 cm Blade Snow Deflector 2879866 168 cm Poly 168 cm HD Wear Bar 2879868 2880269

168 cm Wear Bar 2879867

Plow Marker 2872726 **168 cm Blade Plow Shoe** 2208864 168 cm Steel Shear Pin 2205527

Replacement T Shear Pin 2204829 Extension for Tracks 2880267

Heavy Duty Deflector 2884160



GLACIER HD GIVES YOU

POLARIS GENERAL 1000/4 '16-22

»168 cm Blades » Choice of poly or steel » Manual angle system standard





168 cm Steel

2880268

» 2885117



Choose a steel blade for longevity and increased rigidity or a lightweight non-stick, poly blade that's easier on plowing surfaces.

			N/I		
CREATE YOUR PLOW SYSTEM	STEP 1 SELECT A MOUNT	STEP 2 SELECT A FRAME	STEP 3 SELECT A LIFT METHOD	STEP 4 SELECT A BLADE	STEP 5 SELECT ACCESSORIES
MODELS	MOUNT	FRAME	WINCHES	BLADES	ACCESSORIES
POLARIS GENERAL XP 1000/4 '20-22	2883256	2889307	Polaris HD 2,041 kg Winch 2883860	168 cm Poly 2880269	168 cm Blade Snow Deflector 2879866 168 cm HD Wear Bar 2879868



PROSPECTOR PRO TRACK MOUNTS

POLARIS GENERAL XP 1000/4 '20-22

POLARIS GENERAL 1000/4 '19-22

Install in place of tires and wheels. Tracks sold separately

POLARIS GENERAL 1000/4 '16-22 POLARIS GENERAL XP 1000/4 '20-22

POLARIS GENERAL 1000/4 '16-22 POLARIS GENERAL XP 1000/4 '20-22

168 cm Wear Bar 2879867

168 cm Plow Shoe 2208864

Replacement T Shear Pin 2204829

Plow Marker 2872726

Shear Pin 2205527

If using Glacier Pro Plow System, Track Plow Extension is required (2880267)

PROSPECTOR PRO TRACK

PARTS THAT PUSH THE LIMITS WITHOUT SACRIFICING STRENGTH AND DURABILITY. We build our products so anyone with the

right tools can maintain their vehicle.

ENGINEERED PARTS & LUBRICANTS

PGLARIS

MAINTENANCE TIP

BREAK-IN PERIOD

The break-in period for your new GENERAL is the first 25 hours of operation, or the time it takes to use the first two tanks of fuel. No single action on your part is as important as a proper break-in period. Careful treatment of a new engine will result in more efficient performance and longer life for the engine.

NOTICE: Excessive heat build-up during the first three hours of operation will damage close-fitted engine parts. Do not operate at full throttle or high speeds for extended periods during the first three hours of use.

AIR FILTER

FOR THE LIFE

OF YOUR RIDE

A clogged air filter can restrict air flow to the engine leading to reduced engine performance, engine life or catastrophic failure.

BRAKE PADS

are critical to the safety and should be checked for wear and oil or grease (petroleum products) contamination and brake discs should be checked for cracks, excessive corrosion or warping.

HALF SHAFT

Check for tears and punctures in the boot, which can lead to CV joint wear

Maintaining and/or replacing brakes functionally of a vehicle. Brake pads

that can contribute to axle failure.

DRIVE BELT

Polaris Engineered belts deliver unmatched performance for your off-road vehicle. Developed and tested on all our engines for all environments and conditions. Check your belt for delamination, hour glassing and glazing

RREAK-TN DERTON

- · Use lower gear (if available) while varying speeds and avoid wide open throttle for 8-16 km
- · If no low gear is available, vary at moderate speeds while avoiding wide open throttle for 80 km

OUR INVESTMENT

- · 32.187 km of field testing
- · Thousands of dyno hours
- 18+ months of development (13,000+ design hours) per belt
- · 1.500+ vehicle validation hours
- · Collaboration with powertrain and clutch engineers

YOUR ADVANTAGE

- · No clutch recalibration
- · Less wear and tear due to heat
- · Ensure maximum vehicle performance
- More time riding, less time wrenching
- Produced in collaboration with
- powertrain and clutch engineers to ensure a perfect fit, maximum performance and ultimate durability

BATTERY

To ensure a battery maintains its level of charge when unused for extended periods of time or during freezing weather, the battery should be connected to a BatteryMINDer (see P. 44). Be sure to check for corrosion from the terminals to the ends of the cables.

OIL FILTER

Change oil filters with every oil change to provide the best engine protection and keep the engine operating at peak performance.

FOLLOW RECOMMENDED SERVICE INTERVALS IN THE OWNER'S MANUAL

MAINTENANCE SCHEDULE

25 HRS / 400 km

BREAK-IN MAINTENANCE

ENGINE OIL 8 OIL FILTER: CHANGE

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

> AIR FILTER: **INSPECT & REPLACE** AS NEEDED

EXHAUST SYSTEM: INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

MONTHS

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC

> DRIVE BELT: INSPECT & ADJUST

REPLACE AS NEEDED

ENGINE OIL & OIL FILTER: CHANGE

DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

> **TRANSMISSION** FLUID: CHANGE

AIR FILTER: INSPECT & REPLACE AS NEEDED

EXHAUST SYSTEM: INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

MONTHS **MONTHS**

ENGINE OIL 8 OIL FILTER: CHANGE

150 HRS / 2.400 km

BATTERY: TEST, CLEAN & CHECK FLUID LEVEL REPLACE AS NEEDED

DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

TIRES: INSPECT CONDITION & PRESSURE

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

MONTHS

OIL FILTER: CHANGE

200 HRS / 3,200 km

BRAKE PADS & FLUID: INSPECT & CLEAN REPLACE BRAKE FLUID

> REPLACE AS NEEDED **SPARK PLUGS:** INSPECT REPLACE AS NEEDED

AIR FILTER: INSPECT & REPLACE AS NEEDED

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

ENGINE OIL 8

BATTERY: TEST. CLEAN & CHECK FLUID LEVEL

> **DRIVE BELT:** INSPECT & ADJUST REPLACE AS NEEDED

250 HRS / 4.023 km

MONTHS

ENGINE OIL 8

REPLACE AS NEEDED

OIL FILTER:

CHANGE

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

EXHAUST SYSTEM: INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

MONTHS

300 HRS / 4.828 km

ENGINE OIL & OIL FILTER: CHANGE

AIR FILTER: INSPECT & REPLACE AS NEEDED

GEARCASE & TRANSMISSION: REPLACE FLUIDS

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN



SPECIFIC TIMING



NEW PS-4 FORMULATIONS **BEST PROTECTION, BEST PERFORMANCE**

Our new PS-4 5W-50 formulation and PS-4 Extreme Synthetic OW-50 have been designed to provide the best fluid technologies for long lasting wear protection. These formulations include a new Polaris exclusive additive system to keep the engine cleaner from deposit build-up to maximize power and powersports-grade synthetic base stocks that provide the ultimate in engine protection.

PS-4 5W-50 **FULL-SYNTHETIC OIL**

Optimal for ambient operating temperatures of -40° C to 38° C

>>	.95 L
	20702111

» 381 2876245 » 60 6 I 2876247

» 2081 Drum 2876246

» 12491 Tote

2878814

PS-4 OW-50 EXTREME **FULL-SYNTHETIC OIL**

Optimal for ambient operating temperatures of -43° C to 54° C

» 951 2889395

» 381 2889396 » 60 6 I 2889397 » 2081 Drum 2889398

» 1,249 L 10te	
2889399	

IPS-4I 5W-50	These convenient kits include everything needed including filter and oil volume per vehicle	PS-4 EXTREME DUTY 10W-50
PART NUMBER	VEHICLE FITMENT	PART NUMBER
2202166	RANGER/RZR/SPORTSMAN 570, TWIN 600, TWIN 700, TWIN 800	2879004
2879323	RANGER, POLARIS GENERAL 900-1000, RZR 900-1000, RS1	2879324
2877473	RANGER/SPORTSMAN 300-500, SPORTSMAN/SCRAMBLER500/850/1000	2878924
2881696	RZR TURBO	2881697

OIL CHANCE KITC

12+ DEDICATED **TEAM MEMBERS**

FOCUSED ON POLARIS OIL

18+ **MONTHS**

DEVELOPMENT & TESTING

76.000+ HOURS

POLARIS

KIT

FULL SYNTHETIC

4-CYCLE ENGINE OR

PS-4 EXTREMEDITY

OIL CHANGE

ENGINE WEAR TEST

0.23

ASTM D4172. In 3rd party against 11 competitive products Polaris had 40% or better wear protection compared to all of the test products.

DEPOSIT TEST

NEW FORMULATION

POLARIS IPS-4

MAJOR NATIONAL

LEADING SYNTHETIC AFTERMARKET 5W-50

BRAND ATV OIL

DYNO **TESTING**

KILOMETERS

MAXIMUM

PERFORMANCE

FIELD TESTING

LOWER NUMBER = LESS WEAR OF CRITICAL ENGINE PARTS LESS WEAR MEANS LONGER ENGINE LIFE

0.43

0.43

· At least 40% improved wear protection compared to previous Polaris PS-4 formulation and all

THE BEST PROTECTION

POLARIS


TREME

Best engine protection against

aftermarket oils tested

wear for the longest engine life.

LOWER DEPOSITS = MAXIMUM POWER



ASTM D6335. In 3rd party against 9 competitive products Polaris PS-4 had less than half the deposits compared to the next closest product. No other tested products met Polaris Engineering standards for deposit cleanliness. provides 33% less deposits than previous PS-4 formula

· New improved PS-4 formulation

· At least 50% less deposits than all aftermarket oils tested

The cleanest engine for maximum power and performance!

482.803

POLARIS

EXTREME

Our new PS-4 Extreme Synthetic OW-50 formulation applies only to the absolute highest performance products we sell, for ultimate protection and performance in the most extreme conditions.



- · Our best extreme high temp formulation, excellent for severe high temperatures and for racing, even at temps over 54°C.
- Provides easier starting and cold temperature protection, even to extreme cold temps of below -42°C.
- · Latest in premium synthetic PAO and Ester base stocks along with careful balance of moly and ZDDP additives for ultimate long lasting wear protection.
- · Polaris exclusive clean engine additive system reduces deposits and carbon build-up for peak performance and power.



MAINTENANCE FLUIDS



ENGINE OIL

Maximum protection for your 4-cycle engine.

Change every 100 hours, 6 months or 800 km.





A high-quality brake fluid designed for use in Polaris hydraulic brakes.

Change every 200 hours, 2 years or 3,200 km.

» 355 mL • 2872189





ANTI-FREEZE

Prevent corrosion on metal components, eliminate scaling and maximize cooling system performance.

Change every 60 months

- ».95 L 2880514
- » 3.8 L 2880513
- » 208 L 2880512



AGL

Change every 100 hours, 12 months or 1,600 km. » .95 L • 2878068 » 3.8 L • 2878069 » 9.5 L • 2878070 » 208 L • 2879594

Everything you need, in the correct fluid volumes, to maintain your drive train and keep your vehicle in top operating condition

• Includes: 1.4 L AGL, .95 L Angle Drive Fluid, .47 L Demand Drive Fluid, 29.6-88.7 mL tube of All-Season Greas

ORV MAINTENANCE KITS

- » 2880425
- ALL MODELS

- NaWe Includes: 2 Spark Plugs, 1 Air Filter, 1.9 L PS-4, 1 Oil Filter, .95 L Transmission Fluid, .95 L AGL, 1 Crush
- » 2830544

GENERAL 1000/4 '16-22

DEMAND DRIVE FLUID

Provide positive 4WD engagement in extreme cold or high heat conditions and protect internal components under heavy loads.

Change every 100 hours or yearly.

- ».95 L 2877922
- » 9.5 L 2877923





PREMIUM GAS SHOCK OIL

- .95 L 2874124 WALKER EVANS RACING REBUILDABLE SHOCKS
- .95 L PREMIUM 2870995
- 9.5 L PREMIUM 2872279 FOX REBUILDABLE SHOCKS



SUSPENSION/ U-JOINT GREASE

- » 89 mL 2871515
- » 414 mL 2871551



CHAIN LUBRICANT

- · Provides superior anti-wear and shock protection
- » 473 mL AEROSOL 2872348



ALL-SEASON **GREASE TUBE**

- Specialized water-resistant
- » 89 mL 2871322 » 414 mL • 2871423



ANGLE DRIVE FLUID

- Extreme pressure, anti-wear and high viscosity film lubrication for maximum protection
- » .95 L 2876160
- » 9.5 L 2872276

SPORTSMAN, RANGER, RZR ANGLE DRIVE GEAR CASE SYSTEMS



GENERATOR

- · 4-cycle engine oil
- » .95 L 2879383



CARBON CLEAN

- · Ultimate fuel and injection system cleaner
- » 355 mL 2881413



ADVANCED FUEL TREATMENT

- · Dual antioxidant formula protects jets and fuel system from gum
 - » 355 mL 2881416
 - » 9.5 L 2881417

NEW PREMIUM

MAINTENANCE TOOL KIT

- Includes everything you need to work on and repair Polaris vehicles
- » 2830565

FLEX SPOUT

2.5 gallon bottles

» 2871285

PUMP

» 2870465

· Fits all Polaris quart, gallon and

• Fits 1 and 2.5 gallon bottles

READY WHEN YOU ARE.

ENSURE YOUR RIDE IS

BatteryMINDer®

- · Add years of capacity, power and range to new and older batteries, regardless of type or brand
- · Never over- or under-charged in any temperature
- Leave your vehicle connected for months and return to fully charged and conditioned batteries
- · Recover older or weak batteries that would normally need to be replaced

PART NUMBER

COMES WITH

KEY FEATURES

CHARGING CURRENT

OVERCHARGE PROTECTION

BATTERIES MAINTAINED

BATTERY COMPATIBILITY

VOLTAGE

- · Charge and maintain extra backup batteries, as well as those in your vehicle
- · Automatic turn-on, sleeps while keeping your batteries at full charge
- Easy push-button selector to change battery type or time





2012 AGM 2 AMP

2830438

12 V

2 amn

12 V Sealed AGM Lead-Acid

Non-fused battery clip cord

set with Quick Connector

Designed for high

performance specialty AGM

sealed hatteries

6 at one time



2012 LEAD ACID

2830531

12 V

2 amn

BC-2410: 61 cm non-fused

battery clip cord set with

RTA-2415: 61 cm fused ring

Diagnoses battery condition

- can predict failing batteries

terminal cord set with

temperature sensor

Quick Connector

ATS-1: Ambient

Yes



1510 1.5 AMP

2830404

12 V

15 amn

12 V Flooded (filler cap) and Sealed Maintenance-Free Batteries

temperature sensor

Battery clip cord set

with Quick Connector

Optional permanent

Easy to use

economical

mounting tab

3.7 m power cord

Amhient

4 at one time



M A
1.5 AMP CONVERTIBLE
2830511
12 V
1.5 amp

compensation sensor

Optional permanent mounting brackets

(fully-insulated, aircraft

assembly with 15A

Convertible on-vehicle

or bench top use

replaceable fuse

grade, 15A replaceable fuse

(installed)

and screws

Battery clips

Ring terminal

- with a BatteryMINDer and these tips:
- dry location.
- connections are tight. Cables should not be able to be rotated or shifted by hand
- 4. Clean your battery use a
- 5. Connect a BatteryMINDer

RATTFRY MAINTENANCE TIPS

Extend your battery life

- tube, make sure it is free
- after using your vehicle even

- 1. Store batteries in a cool.
- 2. Check that the battery
- 3. If your battery has a drain
- soft brush to scrub the top of the battery. Use baking soda
- if the vehicle is in regular use.

- » 2830550



2D BATTERY-OPERATED SIPHON PUMP

- Liquid transfer pumps 5-6 quarts/min suctioning power
- » 2830513

NEW

» 2830548

GREASE GUN

» 2871312

Enables easy application

FITS 2871322 ALL-SEASON AND 2871515 U-JOINT 88.7 mL

II IMP PACK

PROTECTION CASE

Lightweight, durable and

rugged custom exterior



POLARIS SHOP TOWELS

- » 200 CT WITH DISPENSER (SHOWN) 2830402
- » 200 CT REFILL 2830403
- » 64 CT REFILL 2830440

OIL FILTER WRENCH

Holds up to 8 quarts of fluid

ACCESSORIES

1,000 AMP ULTRASAFE

LITHIUM JUMP PACK

jump starting a dead battery

Delivers 1,000 amps for

2830547

FLUID FUNNEL

· Easily add oil with

high accuracy

FLUID TRAY

2830551

» 2830552

- Remove Polaris ORV oil filters



FLUID SYRINGE

- Fasily add and remove fluid from your vehicle
- » 2830553



POLARIS HEAVY-DUTY **SCRUBBER WIPES**

» 90 CT • 2830441

BatteryMINDer ACCESSORIES



BatteryMINDer 3.7 m CABLE

- · Made with heavy-duty. 16-gauge black zip cord featuring automotive SAE
- » 2830410



BatteryMINDer VPP-12:12/24 VOLT VEHICLE POWER PLUG

- · Allows easy connection to vehicle battery through lighter or 12/24 V power port with replaceable 15 amp fuse
- » 2830518



BatteryMINDer SPLITTER

- · Connect two batteries
- · Cap includes a set of
- simultaneously for easy
- » 2830409



BatteryMINDer RING TERMINAL

- · Features 61 cm long 18-gauge wire
- Plug has standard .8 cm negative and .95 cm
- · Replaceable 15 amp in-line





BatteryMINDer **EZ CONNECT**

- · Allows for quick, easy connecting and disconnecting of your BatteryMINDer
- · Includes a set of ring terminals
- » 2830411



POLARIS X3 CREEPER

- Three positions: Flat, 45-degree angle or seated work stool
- · Helps you perform any repair with ease
- Stay dry and warm away from cold, wet cement floors
- Easily stores away when not in use
- » BLACK 2830429



POLARIS MAGNETIC PARTS TRAY

» SILVER • 2830432



POLARIS 30.5 cm HI-TORQUE RATCHETING DRIVER

» BLACK / BLUE • 2830434



TELESCOPIC MAGNET

» BLACK • 2830435



POLARIS LED POCKET **FLASHLIGHT**

» BLACK • 2830436

EXTREME HEAT UP TO 54° C

HEAVY PAYLOADS

SAND





NEW

DRIVE BELTS

The enhanced rubber material compound in these belts keep them cool in extreme heat, while our patented cord treatment process maximizes the transfer of horsepower to the ground for those customers hauling heavy loads.

Engineered and designed for: · Greater durability Enhanced performance

· All weather conditions

· Greater wear and tear capabilities

All Polaris parts are developed and tested to help you get the most out of your ride. We're taking the passion of our riders, workers and outdoor enthusiasts to the next level with HD Parts.

OE	HEAVY DUTY PARTS
3211149	
3211169	3212326
3211196	
3211113	3212328

NEW OIL FILTERS

The advanced synthetic material built into these filters offers the highest debris holding capacity, maintains oil flow and maximizes performance.

OE	HEAVY DUTY PARTS
2540086	2522498

WHEELS & TIRES

driving in extreme conditions. » 1524022-458 • HD WHEEL - 14x7*


Class leading durability for off-road

» 5415756 • PRO ARMOR XD-K FRONT » 5415757 • PRO ARMOR XD-K REAR

performance and traction for confident » 5417507 • PRO ARMOR HD-K - 29x10R14* » 5457498-458 • HD WHEEL CENTER CAP*









Fully sealed for added protection against intrusions. Made of a higher grade steel for extended life in extreme conditions.

LOCATION	OE	HEAVY DUTY PARTS
FRONT	251/102/1	0515000
REAR	3514924	3515090

Engineered to provide longer life and better stopping power while

OE	HEAVY DUTY PARTS
2205949	2208933
2202413	2208934
2203318	2208936

BRAKES

riding in extreme conditions.

Claims made based off testing and performance of Polaris HD Parts against standard OEM parts made by Polaris and competitor brands under normal use.

For more information regarding Polaris HD parts including vehicle compatibility, installation and maintenance, please contact your authorized Polaris ORV dealer.

SERVICE PARTS

Polaris Engineered service parts deliver unmatched performance and fit for your off-road vehicle.

All service parts are engineered specifically for your machine. Which means everything is designed, tested and perfected to maximize the life of your ride. Getting Polaris Engineered parts is a decision that pays off in the long run, because it ensures there is a long run.



VISIT YOUR POLARIS DEALER TO SHOP FOR SERVICE PARTS.



FOR THE LIFE OF YOUR RIDE

Maintenance is the key to keeping your Polaris off-road vehicle performing at its peak. Items like belts, lubricants, and batteries represent only a few of these critical items engineered specifically by Polaris.



POLARIS ENGINEERED DRIVE BELTS

TESTED, PERFECTED

We test each belt on the intended vehicle - we don't just try to make an existing belt "just work".

- Amery Kuhl, Polaris CVT System Engineer

OUR INVESTMENT

- · 32,187 km of field testing
- · Thousands of dyno hours
- · 18+ months of development (3,000+ design hours) per belt
- 1,200+ vehicle validation hours
- · Collaboration with powertrain & clutch engineers

YOUR ADVANTAGE

- · No clutch recalibration
- · Less wear & tear due to heat
- Ensure maximum performance of your vehicle
- · More time out riding, less time wrenching

OUR INVESTMENTS ENSURE POLARIS BELTS

CV BOOT REPAIR KIT*

· A quick trail-side fix to increase trail time

- The flexible and durable boot material expands "over a cone tool for CV boot repairs, without disassembling CV axles
- · Universal fit works as a temporary fix for most powersports axles
- · All components fit inside the cone, and a cover is provided for compact durable storage
- · Easily fits in a cargo box, attached to the roll cage, in the glovebox or many other storage locations



UTV CV BOOT REPAIR KIT

FIX ON THE GO | TEMPORARY COVERAGE


- Kit includes the following items • (1) Expandable XL CV Boot
- (1) Reusable Cone Tool
- (2) CV Boot Clamps
- (1) Tube of Silicone Lube • (1) Grease Packet
- (1) Cone Cover
- » 2830526

UTV TRAIL BOOT ONLY

ATV

- » CV REPAIR KIT 2830528
- » TRAIL BOOT ONLY 2830529

HOW TO INSTALL




TIRE


(IN.)

HEIGHT X WIDTH

Remove wheel and axle nut



Remove old boot and clean joint.






Spread silicone lube on entire cone tool. Slide boot over cone tool, large end first. See package for



install clamps.



Empty the bag of grease into the CV Reassemble tie rod, ball joints, brake nt/boot, clean sealing points and caliper, axle nut, tire and whee

Refer to your service manual for further instructions and torque specifications. *Designed for temporary CV boot repair. Purchase the OEM CV Boot for a permanent repair

TIRE SEALANT

HOW IT WORKS

HOW MUCH TIRE SEALANT

DO YOU NEED?

27" × 10" / 5 = 1.6 L

LITERS

REOUIRED

PER TIRE

Tire sealant remains liquefied inside the tire until a leak develops in the tire or wheel.

TIRE

(IN.)



Once a leak occurs, the tire sealant rushes out of the tire and quickly creates a permanent solid plug.

The plug maintains the pressure of the tire so you can continue your ride.



- Instantly seals and repairs rim, bead leaks and punctures up to 0.64 cm on standard tires and 1.9 cm on heavy ply tires
- · Helps maintain air pressure for the life of the tire
- · Helps seal the tire bead against the wheel
- · 100% water soluble for easy cleanup

- Remains fluid and effective in temperatures down to -43° C
- » 946 mL 2830484
- » 3.8 L 2830485

- » 19 L 2830486

PREMIUM TIRE SEALANT

- · Will not rust, corrode or pit wheels

- · Easily installed through existing tire valve stem with valve core removed

- » 19 L PUMP 2830487
- » 208 L 2830489
- » 1041 L 2830488

BRING IT EVERYWHERE

TRAILERING



CALIBER RAMP PRO

- Designed for ATVs and UTVs up to
- · Integrated grip glides for ultimate traction
- Folding sides for easy transportation
- » 132 cm × 229 cm 2884576



ALUMINUM ARCHED LOADING RAMPS

- Capacity for up to 1,361 kg, 680.7 kg per ramp
- » 193 cm × 30.5 cm 907 kg 2875384
- » 224 cm × 30.5 cm 1,361 kg 2875386



LIGHTWEIGHT TRI-FOLD RAMPS

- · Ramp folds up for transpor Capacity for up to 680.7 kg
- · Safety straps included
- » 183 cm × 130 cm 2875385
- » 208 cm × 130 cm 2875860



FOLDING ALUMINUM ARCHED RAMPS

- · Ramp folds up for transport
- Up to 680 kg total capacity, 340 kg per individual ramp
- Safety straps included
- » 224 cm × 30.5 cm 2875387

HITCHES STRAPS & ROPES

3:1 HITCHES

VERSATILE 3 IN 1 FUNCTIONALITY



HOOK

Ball, hook and pin design

BALL -

 Durable, rust resistant steel with black powdercoated finish



HITCH WITH 5 cm BALL

- » 5 cm × 5 cm RECEIVER 2830522
- » 3 cm × 3 cm RECEIVER



» 5 cm RECEIVER TONGUE



• HD 1.6 cm pin and clip

4.8 cm BALL

- · 4.8 cm replacement ball for hitch
- · Designed to work with 3:1 Hitch
- » 2830524



» 4.8 cm BALL • 2877602

» 5 cm BALL • 2877603



- 5 cm × 9.1 m
- · 8.165 kg maximum load /4,082 kg maximum vehicle weigh
- · Comes with carry bag
- » 2884033



RATCHET STRAP

- 5 cm × 6.1 m Ratchet Straps
- Heavy duty webbing, floating D-rings,
- 4,536 kg maximum load, 1,497 kg working load
- » 2884032



RATCHET STRAP

- 3.8 cm × 4.6 m straps, 2 Pack
- · Heavy duty webbing 2,495 kg maximum load,
- 831 kg working load » 2884031



SHOCK STRAPS

- 3.8 cm 1,361 kg breaking strength
 - · Keeps tension on tie-down straps to . secure load, 2 Pack
 - » 3.8 cm × 4.6 m 2883296
 - » 3.8 cm × 2.1 m 2883295

COVERS



TRAILERABLE COVER BY POLARIS

» 2-SEAT • 2881841 POLARIS GENERAL XP 1000 '20-22 POLARIS GENERAL 1000 '16-22

» 4-SEAT • 2881787

POLARIS GENERAL XP 4 1000 '20-22 POLARIS GENERAL 4 1000 '17-22



POLARIS SxS CAMO FIELD COVER

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-21






67

(dBA)

Run Time at 25% Noise Level Load w/ Smart at 25% Load

Throttle (hrs)

PCLARIS POWER



Running

Watts

P2000i

Inverter Generator



2830532

Extension Cord

FEATURES



Illuminated Control Panel



Multi Functional

Digital Display

Multi Handle Design



Parallel Capable

BEST USED FOR



Tailgating



Off-Grid





2879383

Starting

Watts

Max Amps

at 120V

POLARIS

POWER P2000

Run Time at 25%

Load w/ Smart

Throttle (hrs)

Noise Level

at 25% Load

(dBA)

2884865 HIGH ALTITUDE MODIFICATION KIT GENERATOR OIL



P3200iE

Inverter Generator

2830533

BEST USED FOR

Key Fob Remote Start

FEATURES



Fuel Gauge

ACCESSORIES



Multi Functional

Extension Cord Management



Parallel Capable



DIY Remodeling



One Room Backup



Camping



Max Amps

at 120V

2830536

INVERTER PARALLEL KIT ALL WEATHER COVER 2830541

2884866

2800 3200 23.3

Starting

Watts

Running

Watts

HIGH ALTITUDE MODIFICATION KIT 2879383 GENERATOR OIL

PCLARIS POWER



P5500

Open Frame Generator

2830534

Running

5000 | 5500 | 20/30 Starting

Max Amps Run Time

75 Noise Level

FEATURES



Extension Cord Management

ACCESSORIES



Electric Start



Fuel Gauge



Rough Terrain Wheel

2830542

2884867







ALL WEATHER COVER



HIGH ALTITUDE MODIFICATION KIT

凤

Home Backup

BEST USED FOR

Construction



2879383 GENERATOR OIL



P6500

Open Frame Generator

2830535

BEST USED FOR

Running

Watts

6000 6500 20/30

Starting

(hrs)

75 Run Time Noise Level (dBA)

FEATURES



Extension Cord Management



Electric Start



Rough Terrain Wheel



Home Backup



RV'ing



Max Amps

at 120/240V

ACCESSORIES

2830542 2884867

ALL WEATHER COVER HIGH ALTITUDE MODIFICATION KIT

RAIN JACKET & PANTS

PACKABLE WATERPROOF PROTECTION AGAINST **UNPREDICTABLE WEATHER**

TEKVEST FREESTYLE

Black | S-3XL | 2862577

- 100% waterproof, lightweight and packable nylon
- YKK zippers
- Rain jacket has removable hood

RAIN JACKET

Gray | S-3XL | 2869527











YOUTH JERSEY S-XL | 2862723





ORANGE **JERSEY** | S-3XL | 2862719 **GLOVE** | S-3XL | 2862729





TEAL **JERSEY** | S-3XL | 2862720 GLOVE | S-3XL | 2862727

YOUTH JERSEY S-XL | 2862724





GREEN **JERSEY** | S-3XL | 2862721 GLOVE | S-3XL | 2862730





BLUE **JERSEY** | S-3XL | 2862722 **GLOVE** | S-3XL | 2862728

YOUTH JERSEY S-XL | 2862725







LONG SLEEVE Men's | S-3XL | 2860638 Women's | S-3XL | 2860640



COOLING SHIRTS

FABRIC TECHNOLOGY DESIGNED TO KEEP YOU COOL

- Chemical-free fabric, Coolcore reduces the surface temperature up to 30% so you don't overheat
- · Carries a 50 Ultraviolet Protection Factor rating,

blocking 98% of harmful UV rays

COMBINATION OF MODERN STYLE AND PREMIUM · Shock-resistant, injection-molded thermoplastic FEATURES • Through-flow, full-helmet ventilation

TENACITY

TENACITY 4.0 HELMET

PROTECTION WITH INCREDIBLE VALUE

- ProClip quick release chin strap allows you to fasten the chin strap in seconds
- Removable breath boxTool-less adjustable roost shield
- Removable, washable liner
- DOT- and ECE 22.05-approved



XS-2XL

GOGGLES

LIME XS-2XL 2861559

ORANGE

WHITE/RED 2861561

XS-2XL

LIME

2862559



BLACK/RED

HELMETS

NEW TAN

XS-4XL 2862472

TACTICAL

ALTITUDE

509 ALTITUDE 2.0 HELMET

Superior fit for all-day comfort
 Removable Pro Series breath box provides excellent ventilation and air flow

One-piece eyeport creates draft-free seal with 509 goggles
 Magnetic Fidlock chin-strap technology and integrated GoPro mount
 DOT- and ECE 22.05-approved

LIGHTWEIGHT DESIGN, PERFORMANCE-INFUSED

STYLE AND FEATURES WITH ALL-DAY COMFORT

SHELL

WEIGHT

• Strong, lightweight construction of carbon fiber or fiberglass

• Carbon fiber as low as 1,150g

NEW TACTICAL 2.0 HELMET

CARBON FIBER

BLACK/LIME

XS-4XL | 2861473

BUILT FROM THE GROUND UP WITH INNOVATIVE FEATURES FOR ULTIMATE COMFORT AND CONTROL

SHELL

RED/BLACK

· Shock-resistant, injection-molded thermoplastic

FEATURES

- Venturi vent system generates negative pressure at velocity and pulls moist air from the breath box
- Integrated eyeport seal is co-integrated with the breath box and creates a
 draft-free seal with 509 goggles for unparalleled warmth and clear field of view
 Magnetic Fidlock chin-strap technology

• DOT-and ECE 22.06-approved



FIDLCCK

FIDL**C**CK

BLUE



509 KINGPIN OFF-ROAD GOGGLE

STEALTH 2862560

509 MX6 OFF-ROAD GOGGLE

SUPER WIDE FIELD OF VIEW, ENGINEERED FOR DIRT

- PC outer lens with anti-scratch coating, and internal anti-fog coating
- Outriggers with latch system for quick lens change
- · 45mm strap with silicone to hold strap in place

2862557





RED/BLACK 2862558

2862562

PREMIUM MATERIALS, ATTRACTIVE PRICE

· Oversized spherical lens delivers optimal peripheral vision

· Quick-change technology allows you to run the best lens tint for conditions

• Metal tear-off posts provide strength and durability



NAVY S-3XL | 2862570

WORK VEST

RUGGED AND DURABLE VEST THAT'S IDEAL AS AN OUTDOOR LAYER

- Coated with Durable Water Repellency (DWR) to provide water-resistance
- 3M Thinsulate for added warmth with brushed flannel trim
- Three outer pockets for storage

S-3XL | 2861434

GRAY S-3XL | 2861435

SOFTSHELL JACKET

VERSATILE LIGHTWEIGHT JACKET THAT'S SURPRISINGLY WARM AND PERFECT FOR EVERYDAY WEAR

- Casual jacket armed with rugged and warm features for everyday wear
- Superior DWR prevents precipitation from saturating the jacket's exterior
- Lined with 280g of soft fleece for warmth
- Removable hood and underarm venting, three external pockets and one internal chest pocket



CHARCOAL S-3XL | 2860865





FLANNEL JACKET

SHERPA FLEECE LINED JACKET DELIVERS EXCEPTIONAL WARMTH AND COMFORT

- Warm sherpa lined fleece material
 Insulation to keep you warm
- Plenty of storage for your valuables



FOREST GREEN S-3XL | 2860862



GRAY S-3XL | 2860863



BLACK S-3XL | 2861608

WORK JACKET

WARM AND RUGGED JACKET THAT'S TOUGH FOR WORK AND STYLISH FOR PLAY

- Coated with Durable Water Repellency (DWR) to provide water-resistance
- Built in action back for increased range of motion
- 80g 3M Thinsulate for added warmth with brushed flannel trim
- $\boldsymbol{\cdot}$ One inner and four outer pockets for storage



REVERSIBLE

DURABLE AND WARM REVERSIBLE VEST OFFERS TWO STYLES IN ONE

- Durable windbreak outer fabric helps protect from the elements
- 140g 3M Thinsulate insulation keeps you warm in cold weather
- Reversible vest offers two unique styles in one



S-3XL | 2862566



LIGHTWEIGHT, WINDPROOF JACKET THAT PROVIDES PROTECTION WHILE RIDING

- 100% polyester windproof fabric
- Lightweight construction makes
- it easy to pack
- Three external pockets allow for maximum storage

Black | S-3XL | 2861541



FORCE JACKET

PACKABLE JACKET OFFERS LIGHTWEIGHT PROTECTION, IDEAL FOR ANY ACTIVITY

- 140g 3M Thinsulate
- Plenty of storage with two external hand
- pockets and one internal media pocket
- Rugged YKK zippers
- Great for travel, compacts into pocket

Black | S-3XL | 2861432









MEN'S APPAREL

NEW TITAN MID-LAYER

EXTREMELY WARM YET BREATHABLE MID-LAYER, PERFECT FOR RIDING

- 319g Polartec Thermal Pro rib
- sweater provides great warmth
- Quick drying moisture wicking helps keep you dry
- Breathable material moves sweat to the outer surface
- Nylon overlay is comfortable and light



BLACK S-3XL | 2862568



NORTHSTAR MID-LAYER

VERSATILE MID-LAYER CAN BE WORN ALONE OR AS AN EXTRA LAYER

- 280g of breathable fleece for added warmth
- Offers durable protection against the elements with a wear-resistant polyester face and wind-block layer on chest
- · Designed to fit under outer shell when riding

BLACK/RED

S-3XL | 2862616

BLACK/GRAY S-3XL | 2869925

NEW **JOURNEY HOODIE**

BLACK S-3XL | 2862489

DURABLE HOODIE DESIGNED FOR EVERY DAY WEAR

- · Keeps the elements out with snug, rib-knit waist and cuffs
- · Mock neck collar provides added protection and warmth
- Durable blended material made of 80% cotton, 20% polyester



TECH FULL-ZIP HOODIE

■N∃W Tan | S-3XL | 2862486 Gray | S-3XL | 2861493 Black/Blue | S-3XL | 2861494



CREW SWEATSHIRT

■N∃W Black | S-3XL | 2862488 Green | S-3XL | 2861498 Navy | S-3XL | 2861497



ICON HOODIE

■N=W Gray | S-3XL | 2862487 Green | S-3XL | 2861495 Black | S-3XL | 2861496



ICON LONG SLEEVE

■N=W Gray/Red | S-3XL | 2862505 Black | S-3XL | 2861584 Blue | S-3XL | 2861585



DASH LONG SLEEVE

■N=W Gray | S-3XL | 2862504 Navy | S-3XL | 2861583 Black | S-3XL | 2861582



CHECKERED LONG SLEEVE

■N=W■ Red | S-3XL | 2862506 Gray | S-3XL | 2861587 Black | S-3XL | 2861586



ICON TEE

■N=W■ Green | S-3XL | 2862501 Black | S-3XL | 2861570 Blue | S-3XL | 2861571



STAMP TEE

■N∃W Black | S-3XL | 2862496 Gray | S-3XL | 2861565 Green | S-3XL | 2861564



CORE TEE

■N=W Red | S-3XL | 2862502 Black | S-3XL | 2861572 Blue | S-3XL | 2861573

POLARIS





NEW Light Gray | One Size | 2862539 Gray | One Size | 2861531 Black | One Size | 2861533 Navy | One Size | 2861532



Tan | One Size | 2860893 Gray | One Size | 2862544



CAMO REVOLVE VEST Camo | S-3XL | 2862572



PURSUIT HOODIE Camo | S-3XL | 2862494



CAMO NECK GAITER Camo | One Size | 2861948



■N≒W Gray | One Size | 2862594 Navy | One Size | 2861523 Black | One Size | 2861524



Black/Red | One Size | 2861526 Navy | One Size | 2861525

TONAL HAT



CHECKERED HAT

Blue | One Size | 2861520 Black | One Size | 2861522 Gray | One Size | 2861521



RETRO CAP

■N=W■ Navy | One Size | 2862538 Gray/Red | One Size | 2869542 Gray/Orange | One Size | 2861536



CAMO TRUCKER HAT Black | One Size | 2860613



HUNTER ORANGE HAT Orange | S/M | 2860892 Orange | L/XL | 2862545



HUNTER ORANGE BEANIE Orange | One Size | 2862595

PURSUIT HOODIE Camo | S-3XL | 2862517



BLACK S-3XL | 2861437

GRAY/BLUE S-3XL | 2861439

SOFTSHELL JACKET

LIGHTWEIGHT PERFORMANCE THAT'S SURPRISINGLY WARM AND PERFECT FOR EVERYDAY WEAR

- $\bullet \ \ \text{Superior DWR prevents precipitation from saturating the jacket's exterior}$
- · Lined with 280g of soft fleece for warmth
- Removable hood and underarm venting, three external pockets and one internal chest pocket



WORK JACKET

WARM AND RUGGED JACKET THAT'S TOUGH FOR WORK AND STYLISH FOR PLAY

- · Coated with DWR to provide water-resistance
- Built-in action back for increased range of motion • 80g 3M Thinsulate for added warmth with
- brushed flannel trim
- One inner and four outer pockets for storage



BLACK S-3XL | 2862457



DUSTY ROSE S-3XL | 2862456 S-3XL | 2861433



BLACK/GRAY S-3XL | 2862458



BLUE

S-3XL | 2862564

DUSTY ROSE S-3XL | 2862459

TITAN MID-LAYER

EXTREMELY WARM YET BREATHABLE MID-LAYER, PERFECT FOR RIDING

PACKABLE JACKET OFFERS LIGHTWEIGHT PROTECTION, IDEAL FOR ANY ACTIVITY

- · 140g 3M Thinsulate
- · Plenty of storage with two external hand pockets and one internal media pocket
- Rugged YKK zippers
- Great for travel, compacts into pocket

- 319g Polartec Thermal Pro rib sweater provides great warmth
- keep you dry
- Breathable material moves sweat to the outer surface
- · Nylon overlay is comfortable and light



JOURNEY HOODIE

Black | S-3XL | 2862515 Blue | S-3XL | 2862516

NEW

ADVENTURE CREW

Dusty Rose | S-3XL | 2862513

Black | S-3XL | 2862514



TECH FULL-ZIP HOODIE

Maroon | S-3XL | 2861509 Gray | S-3XL | 2861508



NEW **ADVENTURE TEE**

Teal | S-3XL | 2862629 Black Frost | S-3XL | 2862628



THINK OUTSIDE TEE

■N4//■ Pink | S-3XL | 2862518 Black | S-3XL | 2861590 Blue | S-3XL | 2861591



REVOLVE VEST

OFFERS TWO STYLES IN ONE

- · Durable windbreak outer fabric
- 140g 3M Thinsulate insulation keeps
- · Reversible vest offers two unique

DURABLE AND WARM REVERSIBLE VEST

- protects you from the elements
- you warm in cold weather
- styles in one

FORCE JACKET

- Quick drying moisture wicking helps

STEEL SIGN

35.6 cm x 91.4 cm | 2860868

ALUMINUM SIGN

55.9 cm | 2860867

WOOD SIGN



POLARIS

PINT GLASSES (SET OF 2) 2860815

12oz CAMPER MUG 2861612

HELL



2861611

17oz WATER BOTTLE

23oz WATER BOTTLE 2862685



15oz CAMPFIRE MUG 2861613



KEYCHAIN 2861614



LEATHER LOOP KEYCHAIN 2861615



NEW LICENSE PLATE HOLDER





NEW KICKBACK ROCKER

2862626



NEW FREESTYLE ROCKER

2862625



NEW **EASY CHAIR**

2862627



NEW QUICK-E-SEAT 2862624



FOLDING TABLE

2861620



POLARIS PARKING SIGN

2869934



NEW POLARIS FLAG

91.4 cm x 152.4 cm | 2869928



NI=W HITCH COVER 2861623



ADVENTURE



